United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/764,572	01/27/2004	Jerry Moscovitch	5US1PC1US1US	9024	
,	7590 04/25/2007 EERED DESIGN INC.		EXAMINER		
474 WELLING	TON STREET WEST		ZARROLI, MICHAEL C		
TORONTO, ON M5V-1E3 CANADA		·	ART UNIT	PAPER NUMBER	
2.2			2839		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MONTHS		04/25/2007	PAI	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/764,572	MOSCOVITCH, J	MOSCOVITCH, JERRY		
Office Action Summary	Examiner	Art Unit			
	Michael C. Zarroli	2839			
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet w	vith the correspondence ac	idress		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 136(a). In no event, however, may a will apply and will expire SIX (6) MO e, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this of the companion of the			
Status	•	•			
1) Responsive to communication(s) filed on 26 /	March 2007.	•			
·	s action is non-final.				
·—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under					
Disposition of Claims					
4) Claim(s) 1-6,25-56,103-122 and 1318 is/are p	ending in the application.				
4a) Of the above claim(s) is/are withdra	-				
5) Claim(s) 6,17,18,30,36,37,55 and 56 is/are al	lowed.				
6) Claim(s) 1-5, 13-16, 25-29, 31-35, 51-54, 103	<u>-107, 109-117, 119-122</u> is	s/are rejected.			
7) Claim(s) 108 and 118 is/are objected to.					
8) Claim(s) are subject to restriction and/o	or election requirement.				
Application Papers					
9) The specification is objected to by the Examin	er.				
10) ☐ The drawing(s) filed on is/are: a) ☐ acc	cepted or b) objected to	by the Examiner.			
Applicant may not request that any objection to the	e drawing(s) be held in abeya	ance. See 37 CFR 1:85(a).			
Replacement drawing sheet(s) including the correct	ction is required if the drawin	g(s) is objected to. See 37 C	FR 1.121(d).		
11) The oath or declaration is objected to by the E	xaminer. Note the attache	ed Office Action or form P	TO-152		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	n priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
 Certified copies of the priority document 	its have been received.				
2 Certified copies of the priority document					
Copies of the certified copies of the price		n received in this Nationa	l Stage		
application from the International Burea					
* See the attached detailed Office action for a lis	t of the certified copies no	ot received.			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)		o(s)/Mail Date Informal Patent Application			
Paper No(s)/Mail Date <u>4/9/07</u> .	6) Other: _				
					

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/23/07 has been entered.

Claim Objections

- 2. Claim 108 objected to because of the following informalities: Antecedent problem with "the four edges." Appropriate correction is required.
- 3. Claim 109 objected to because of the following informalities: Antecedent problem with "the first mating member." Appropriate correction is required.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2839

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 5. Claims 1-5 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Ross et al.

Ross discloses a connector apparatus for allowing quick electrical and mechanical coupling and decoupling of a display 202 to a support member (col. 3 lines 63-67) disposed within a vehicle, at a wall (title & abstract 1st sentence), the apparatus comprising: a first mounting component fig. 3 for the display, the first mounting component having a first engaging member 308, 312, 314 and a first electrical connector 310, 316; and (b) a second mounting component fig. 2 for the support member disposed within the vehicle (col. 2 line 64 to col. 3 line 1), the second mounting component including a second engaging member 206 having a shape complementary to the first engaging member fig. 5 and a second electrical connector 204, 512 the second engaging member being configured to engage with the first engaging member fig. 5 to physically support the display on the support member fig. 5 disposed within the vehicle, at the wall, while the first electrical connector concurrently electrically couples the second electrical connector fig. 5,

Art Unit: 2839

whereby as long as the second engaging member is engaged with the first engaging member, electrical communication between the two electrical connectors is possible (if the display 202 is held by the engaging member then there necessarily has to be connection between the first and second connectors, there's no partial insertion stage for the display into the engaging member).

Claim 2 Ross discloses that the first engaging member and the second engaging member are shaped (308 & hood at 312 in fig. 3) so as to prevent accidental decoupling of the display from the support member.

Claim 3 Ross discloses that engagement of the first engaging member and the second engaging member supports substantially all of the weight of the display fig. 5.

Claim 4 Ross discloses securing means 308 for securing the first mounting component to the second mounting component when the first engaging member and the second engaging member are engaged.

Claim 5 Ross discloses that the first and second electrical connectors mechanically engage one another when the first and second mounting components are mechanically engaged fig. 5.

6. Claims 13-16, 51-54 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Ross et al.

Ross discloses an electrical connector apparatus for a support member (col. 3 lines 63-67) disposed within a vehicle or at a wall (title, abstract 1st sentence) for supporting a display 202 on a first mounting component fig. 3 so as to allow quick electrical and mechanical coupling and decoupling of the display to the support member, the first mounting component fig. 3 comprising: a first engaging member 308, 312, 314; and a first electrical connector 310, 316; wherein the first mounting component is configured for selective coupling to a second mounting component fig. 2 mounted on the support member (col. 2 line 64 to col. 3 line 1) and including a second engaging member 206 having a shape complementary to the first engaging member fig. 5 and a second electrical connector 204, 512, so that when the first engaging member engages the second engaging member fig.5, the display will be physically supported on the support member fig. 5 in the vehicle or on the wall while the first electrical connector concurrently electrically couples the second electrical connector fig. 5 to also cause electrical communication between the two electrical connectors.

Claims 14, 52 Ross discloses that the engaging members are shaped to prevent accidental uncoupling of the display from the support member (308 & hood at 312 in fig. 3).

Art Unit: 2839

Claims 15, 53 Ross discloses that when the engaging members engage the second engaging member support substantially all the weight of the display fig. 5.

Claims 16, 54 Ross discloses securing means 308 for securing the first mounting component to the second when the engaging members are engaged.

7. Claims 25-29, 31-35 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Sadler.

Sadler discloses a connector apparatus fig. 1 for allowing quick electrical and mechanical coupling and decoupling of a display 6 substantially limited to displaying results of computer operations performed remote from the display (electronic device 5 has signals sent to it) to a support member 102, the apparatus comprising: (a) the display having a first mounting component fig. 1, the first mounting component having a first engaging member (shape of 5) and a first electrical connector (unnumbered at bottom of 5); and (b) a second mounting component 150, 180 for the support member, the second mounting component including a second engaging member 180 having a shape complementary to the first engaging member fig. 1 and a second electrical connector 166, the second engaging member being configured to engage with the first engaging member to physically support the display fig. 1 on the support member, while the first electrical connector concurrently electrically couples the second electrical

Art Unit: 2839

connector, whereby as long as the second engaging member is engaged with the first engaging member electrical communication between the two electrical connectors is possible (if the display is held by the engaging member then there necessarily has to be connection between the first and second connectors, there's no partial insertion stage for the display into the engaging member because of gravity).

Claims 26, 32 Sadler discloses that the engaging members are shaped to prevent accidental uncoupling of the display from the support member e.g. fig. 5.

Claims 27, 33 Sadler discloses that when the engaging members engage the second engaging member support substantially all the weight of the display fig. 1.

Claims 28, 34 Sadler discloses securing means 162 for securing the first mounting component to the second when the engaging members are engaged.

Claims 29, 35 Sadler discloses that the first and second electrical connectors mechanically engage fig. 1 one another when the first and second mounting components are mechanically engaged fig. 4.

8. Claims 103, 105-107, 109-110 rejected under 35 U.S.C. 102(b) as being clearly anticipated by applicant cited Satou.

Satou discloses a system comprising a display monitor 21 and a connector apparatus for allowing quick electrical and mechanical coupling and decoupling of

Art Unit: 2839

said display monitor fig. 4 to a support member 2, said system comprising: a first component mounted on said display monitor, said first component having a first engaging member 35, 36, 37 and a first electrical connector 40; and a second component mountable to said support member, said second component having a second engaging member 11, 12 and a second electrical connector 17, wherein said first and second engaging members have complementary shapes to allow the first engaging member to be lowered onto the second engaging member to engage therewith (figures 5-7) so that the support member physically supports said display screen fig. 3, while said first electrical connector concurrently couples with said second electrical connector fig. 7 to permit electrical communication therebetween. Claim 105 Satou discloses that the first engaging member includes a protrusion (figures 5 & 6).

Claims 106 & 107 Satou discloses that the protrusion is wedge-shaped (fig. 6 beveled edges) and separated from the connector fig. 5.

Claim 109 Satou discloses that the second component includes a cup-shaped housing fig. 5 having a housing component forming a recess 12 for receiving the first mating member of the first component fig. 5, and for necessitating, during removal of the first engaging member from the recess, an upward lifting of the first engaging member to remove the first engaging member from the recess.

Art Unit: 2839

Claim 110 Satou discloses that after engagement of the first engaging member and the second engaging member, substantially all of the weight of the display monitor is supported by the second engaging member (figures 3 & 4).

9. Claims 113-114, 116-117, 119-120 rejected under 35 U.S.C. 102(e) as being clearly anticipated by applicant cited Satou.

Satou discloses a connector apparatus for allowing quick electrical and mechanical coupling and decoupling of a display monitor to a support member fig. 4, said connector apparatus comprising: a first component having a first engaging member-35, 36, 37 and a first electrical connector 40; and a second component having a second engaging member 11, 12 and a second electrical connector 17, wherein a) the first component is mountable to one of the display monitor 21 and the support member and the second component is mountable to the other one of the display monitor and the support member 2, b) the first engaging member and second engaging member have complementary shapes to allow the first engaging member and the second engaging member to engage so that the support member physically supports said display screen (figures 3-7), while said first electrical connector and second electrical connector concurrently couple fig. 7 to permit electrical communication therebetween, and c) the first engaging member includes the first electrical connector fig. 6.

Claim 114 Satou discloses that the second engaging member includes the second electrical connector fig. 6.

Claims 116 & 117 Satou discloses that the protrusion is wedge-shaped (fig. 6 beveled edges) and separated from the connector fig. 5.

Claim 119 Satou discloses that the second component includes a cup-shaped housing fig. 5 having a housing component forming a recess 12 for receiving the first mating member of the first component fig. 5, and for necessitating, during removal of the first engaging member from the recess, an upward lifting of the first engaging member to remove the first engaging member from the recess.

Claim 120 Satou discloses that after engagement of the first engaging member and the second engaging member, substantially all of the weight of the display monitor is supported by the second engaging member (figures 3 & 4).

10. Claims 103-104, 111-113, 115, 121-122 rejected under 35 U.S.C. 102(b) as being clearly anticipated by Kunert.

Kunert discloses a system comprising a display monitor (90 in fig. 1A unnumbered top) and a connector apparatus for allowing quick electrical and mechanical coupling and decoupling of said display monitor fig. 8A to a support member 20, said system comprising: a first component fig. 1A mounted on said display monitor, said first component having a first engaging member 46, 48 and a first

electrical connector 96; and a second component mountable to said support member, said second component having a second engaging member 40 and a second electrical connector 32, wherein said first and second engaging members have complementary shapes to allow the first engaging member to be lowered onto the second engaging member to engage therewith (figures 8A, 10, 11) so that the support member physically supports said display screen fig. 4, while said first electrical connector concurrently couples with said second electrical connector (fig. 4 at 32) to permit electrical communication therebetween.

Claims 104, 115 Kunert discloses that the first component is mounted at a rear surface of the display monitor fig. 1A.

Claims 111, 121 Kunert discloses that neither the first engaging member nor the second engaging member are visible to a user facing the front of the display monitor (when display monitor is mounted).

Claims 112, 122 Kunert discloses that the first component is mounted on the rear surface of the display monitor and the first component includes a protrusion 48 that is inserted into a recess of the second engaging member fig. 8A.

Application/Control Number: 10/764,572 Page 12

Art Unit: 2839

Allowable Subject Matter

11. Claims 108, 118 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

12. Claims 6, 17-18, 30, 36-37, 55-56, are allowed over the prior art of record.

Conclusion

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Zarroli whose telephone number is 571-272-2101. The examiner can normally be reached on 7:30 to 3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, T.C. Patel can be reached on (571) 272-2800 ext 39. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael C. Zarroli Primary Examiner

Art Unit 2839

MCZ MCZ